

# BAGNODESIGN AQUAZONE




## CLEANING & MAINTENANCE



# SANIPEXGROUP

[WWW.SANIPEXGROUP.COM](http://WWW.SANIPEXGROUP.COM)

## CARE AND MAINTENANCE



To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The majority of products can be cleaned with warm water, a mild soap and a clean soft cloth.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto a soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage.

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.

Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for an extended period of time. After cleaning, rinse thoroughly with clean water.

Ensure that specialized cleaners are only applied to the specific area and do not come into contact with other materials that could be affected by it.

We would not recommend the mixing of different cleaning agents.

After cleaning, dry with a soft cloth.

For additional specific care and maintenance information please see the individual product specifications where applicable.

For full warranty information, visit <https://sanipexgroup.com/>

## CHROME & SPECIAL FINISHES

---



To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

Clean progressively and gently.



It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action, as this could contribute to denaturing and dulling the finish.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto a soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage. Do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.

If limescale has built up on your product do not attempt to chip this off as this could damage the protective lacquer and lead to further damage. Several applications of lemon juice (not a concentrate) or white vinegar, followed by a thorough rinsing with clean water will slowly help to remove it. After cleaning, dry with a soft cloth.

For full warranty information, visit <https://sanipexgroup.com/>



## ARMOUR FINISHES

---

To ensure your BAGNODESIGN ARMOUR product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap, and a clean soft cloth.

Clean progressively and gently. It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product.

If aesthetically unpleasant limescale deposits are found on the surface of the product, do not attempt to chip these off, it can be dissolved using diluted vinegar (maximum concentration 10% at 20 °C) and then rinsed with plenty of clean water.

Avoid a vigorous cleaning action, as this could contribute dulling the finish.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, solvents, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto a soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage. Do not allow the cleaner to remain on the product for a extended period of time.

After cleaning, rinse thoroughly with clean water, dry with a soft cloth.

## PRODUCT CLEANING

We recommend cleaning with a soft damp cloth and mild soap solution.

**DO NOT** use cream cleaners or cleaners containing bleach.

**DO NOT** scrub or scour.

**DO NOT** use abrasive cleaning agents.

**DO NOT** use solvent based cleaners.



By following our recommended cleaning and maintenance guidelines, you will preserve the quality and appearance of your product, ensuring reliable performance and long-lasting enjoyment for many years.

---



## METALLIC BASINS

To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

Metallic wash basins have a living finish, which evolves over time, the surface of each wash basin is protected with a coat of wax which gives our wash basins a rich natural luster and slows the oxidation process.

Our Metallic wash basins are individually hand crafted. Some finishing marks, solder spots, minor pitting, and small anomalies are to be expected which add to authenticity of the product.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto a soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage.

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.



Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.

Ensure that specialized cleaners are only applied to the specific area and do not come into contact with other materials that could be affected by it.

We would not recommend the mixing of different cleaning agents.

After cleaning, dry with a soft cloth.

For full warranty information, visit <https://sanipexgroup.com/>



## COMPOSITE STONE

To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto a soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage.

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.

Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.

Ensure that specialized cleaners are only applied to the specific area and do not come into contact with other materials that could be affected by it.

We would not recommend the mixing of different cleaning agents.

After cleaning, dry with a soft cloth.

### Minor damage?

It is possible to repair minor damages using the BAGNOTECH/QUARTZ repair kit, Scratches and small chips can be removed by using the fine sanding pad and water, gently sand out the damage then clean the surface with acetone on a WHITE cloth to remove the residue and restore the surface.

Cleaning Products to use:

Repair Kit – BDS-BAGNOTECH-RPR-KIT

For full warranty information, visit <https://sanipexgroup.com/>



## MARBLE

To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The various Marbles used have been chosen for their strong concentration of fossils and as they are purely natural product, there will also be the presence of different variations of veins, colors and shades, as well as micro cracks and small holes. This gives each piece the characteristic of being truly unique.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto the soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage if not wiped up right away, this can allow the acids to react and eat away at the calcium carbonate in the stone, creating permanent markings.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.


Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.

Ensure that specialized cleaners are only applied to the specific area and do not come into contact with other materials that could be affected by it.

We would not recommend the mixing of different cleaning agents.

After cleaning, dry with a soft cloth.

For full warranty information, visit <https://sanipexgroup.com/>



## FURNITURE & COUNTERTOPS

To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

Dry any spillages immediately with clean soft cloth, furniture should not be exposed to standing water or sustained moisture.

Keep wooden furniture clear of intense heat sources and damp areas, ensure that the bathroom environment is well ventilated.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto the soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage.

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.

Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.


Ensure that specialized cleaners are only applied to the specific area and do not come into contact with other materials that could be affected by it.

We would not recommend the mixing of different cleaning agents.

Real wood veneer is a living material it is important to maintain using the above to ensure its structure, grain, porosity and color.

After cleaning, dry with a soft cloth.

For full warranty information, visit <https://sanipexgroup.com/>



## STAINLESS STEEL

---

To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

Ensure to clean in the direction of the grain.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto the soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage.

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

Do not leave carbon steel items in contact with stainless-steel, especially if wet.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.

Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.




We would not recommend the mixing of different cleaning agents.

Stainless-steel may discolour if left in contact with salts or acids for extended periods.

After cleaning, dry with a soft cloth.

For full warranty information, visit <https://sanipexgroup.com/>

---





## MIRRORS

---



To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap and a clean chamois cloth.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.




Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

Do not use glass or window cleaners and other chemicals as these could damage the silver coating of the mirror and may cause 'brown flecks'

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

After cleaning, always wipe the edges of the mirror dry.

For full warranty information, visit <https://sanipexgroup.com/>



## WHIRLPOOL SYSTEMS

### What to do?...

Fill the bath with hot water with a minimum temperature of 35 °C.

Pour approx. 330ml (1/3 of the bottle) of whirlpool cleaner into the water (mixture proportion 330ml per 200l of water)

Operate the whirlpool system for 5 minutes.

Stop the Whirlpool and let it rest for 2 hours.

Operate the whirlpool system for a further 5 minutes.

Empty the bath and thoroughly rinse with water.




Whirlpool  
System  
Cleaner

### What else to consider?...

Flush your Whirlpool once per month.

Never use the bath whilst the cleaning solution is applied.



## SOAP DISPENSERS

To ensure your BAGNODESIGN & AQUAZONE product performs and gives many years of use, please follow these recommendations carefully, as any damages resulting from poor maintenance are not covered under the warranty.

The product can be cleaned with warm water, a mild soap and a clean soft cloth.

It is not required to use any abrasive cleaning pads, wire wool or micro-fibre cloths to clean the product. Avoid a vigorous cleaning action.

Abrasive or strong cleaning products containing ammonia, bleaches, alcohol, dyes, acids (hydrochloric, formic, phosphorus, chlorine or acetic) will be detrimental to the product finish.

If using a spray cleaner, apply the cleaning agent onto the soft cloth, never directly spray onto the product as the cleaner may enter gaps and openings and cause damage.

Residues of toiletries such as liquid soaps, shower gels, shampoos, hair dyes, perfumes, lipstick, after shave and nail varnish can also cause damage, carefully clean these using the methods above.

If a specialized cleaner is required, always follow the instructions provided on the cleaning product, this would include application and dosage.

If stainless-steel, use a specialized stainless-steel cleaner with a non-abrasive cloth when necessary on stubborn stains and ensure to clean in the direction of the grain.

Always test the cleaning agent on an inconspicuous area before applying to the whole surface, do not allow the cleaner to remain on the product for a period of time. After cleaning, rinse thoroughly with clean water.

Ensure that specialized cleaners are only applied to the specific area and do not come into contact with other materials that could be affected by it.

We would not recommend the mixing of different cleaning agents.




Soap dispensers located in low-usage areas should have the nozzles wiped down regularly to remove any hardened soap residue.

To clean and re-fill, empty all soap from the bottle and flush out with warm water, as this should remove any particles of dried up soap, shake out any excess water and allow to dry. After drying it can be re-filled. Use correct soap thickness, soap thickness is measured by viscosity, this viscosity should be between 100-3500 cps and should be 'pourable' in consistency.

When re-filling it is advised to use a funnel to pour in liquid soaps, as this will eliminate any spillages that could damage electronic and internal components.

After cleaning, dry with a soft cloth.

For full warranty information, visit <https://sanipexgroup.com/>





[illegible]

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a guide for handwriting or typing. The background is a clean, solid white color.

## موزع الصابون

لضمان أداء منتج بانيديزاين و أفوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش باللياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال استخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الاستخدام والكمية.

في حال تنظيف مزج الصابون بطلاء الفولاذ المقاوم للصدأ، استخدم منظف الفولاذ المقاوم للصدأ بقطعة قماش غير خشنة عند الضرورة على البقع الصعبة وتأكد من التنظيف بإتجاه الحبوب.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعه على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.

تأكد من استخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.

لا يوصى بخلط الأنواع المختلفة من مواد التنظيف.

لا يوصى بخلط مواد التنظيف المختلفة. يجب مسح فوهة التفريغ في موزعات الصابون الواقعة بالأمكان القليلة الاستخدام بشكل منتظم لإزالة أي بقايا صابون متراكمة.




للتنظيف وإعادة الملئ قم بتفريغ كافة الصابون من العبوة وإسطفها بماء دافئ لإزالة أي بواقي صابون جافة وخضها لإزالة أي مياه زائدة وإتركها لتجف، وبعد أن تجف يمكن ملئها باستخدام الصابون المناسب من حيث الكثافة وتقاس الكثافة بدرجة اللزوجة ويجب أن تكون حوالي 100-0053 سننيزواز ويجب أن تكون قابلة للصب.

عند إعادة الملئ ينصح باستخدام قمع لتعبئة السائل لتجنب حدوث إنسكاب للصابون والذي قد يؤدي إلى ضرر الأجهزة الإلكترونية والمكونات الداخلية.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع

<https://sanipexgroup.com/>



## أنظمة تنظيف أحواض الإستحمام بتقنية الدوامة

### كيفية التطبيق؟


إملئ حوض الإستحمام بمياه ساخنة بدرجة حرارة على الأقل 35 مئوية.  
صبه حوالي 330 مل (3/1 من العبوة) سائل التنظيف في الماء (النسبة 330 مل لكل 200 مل ماء)  
شغل نظام التنظيف بالدوامة لمدة 5 دقائق.  
أوقف نظام التنظيف بالدوامة وإتركه لمدة ساعتين.  
شغل نظام التنظيف بالدوامة لمدة 5 دقائق إضافية.  
أفرغ حوض الإستحمام و فرغه من الماء تماما.



منظف نظام ويرلبول

### الأمور الأخرى التي يجب الإنتباه لها؟


إشطف نظام التنظيف بالدوامة مرة بالشهر.  
يمنع إستخدام حوض الإستحمام أثناء وضع محلول التنظيف.



منفاخ (±) التحكم في التشغيل / الإيقاف  
تشغيل / إيقاف الإضاءة  
والتحكم في اللون



## المرايا




لضمان أداء منتج بانيديزاين و أفوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس ستيل أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.




لا تستخدم منظف الزجاج أو النوافذ والمواد الكيميائية الأخرى حيث يمكن أن تسبب الضرر لطلاء الفضة بالمرايا وقد يؤدي إلى بقع بنية.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع  
<https://sanipexgroup.com/>



## الفولاذ المقاوم للصدأ

لضمان أداء منتج بانيديزاين و أقوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة. تأكد من التنظيف باتجاه الحبيبات.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال استخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

لا تترك مواد الفولاذ المعزز بالكربون على تلامس مباشر مع الفولاذ المقاوم للصدأ وخاصة إذا كانت رطبة.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الاستخدام والكمية.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعه على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.




تأكد من استخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.

لا يوصى بخلط الأنواع المختلفة من مواد التنظيف.

قد تتغير ألوان الستانلس ستيل في حال تركها ملامسة للأحماض أو القلويات لفترات طويلة.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع  
<https://sanipexgroup.com/>



## الأثاث ورفوف الجرانيت

لضمان أداء منتج بانيديزاين و أفوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

قم بتنظيف أي سوائل مباشرة بقطعة قماش ناعمة ويجب تجنب تعريض الأثاث للمياه أو الرطوبة المستمرة.

أبقي الأثاث الخشبي بعيد عن مصادر الحرارة الشديدة والأماكن الرطبة، وتأكد أن بيئة الحمام جيدة التهوية.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال استخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الاستخدام والكمية.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعه على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.

تأكد من استخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.


لا يوصى بخلط الأنواع المختلفة من مواد التنظيف.

فينير الخشب الحقيقي هو مادة حية وضرورية للمحافظة على استخدام المنتج لضمان هيكله ولونه وشكله وجودته.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع

<https://sanipexgroup.com/>





## الرخام

لضمان أداء منتج بانيديزاين و أقوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

الرخام المختلف المستخدم تم إختياره لتركيزه القوي واحتواءه على الأحابير ولأنه منتج طبيعي صافي، كما يوجد فيه عروق مختلفة الألوان والأشكال وشقوق وحفر متناهية الصغر، وهذا يمنح القطعة خصائص فريدة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال استخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفحات والتجاويف ويسبب الضرر.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الاستخدام والكمية.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعه على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.

تأكد من استخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.

لا يوصى بخلط الأنواع المختلفة من مواد التنظيف.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع  
<https://sanipexgroup.com/>





## الأحجار المركبة

لضمان أداء منتج بانيديزاين و أفوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو أسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال استخدام المنظف الباخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الاستخدام والكمية.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعه على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.

تأكد من استخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.

لا يوصى بخلط الأنواع المختلفة من مواد التنظيف.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

الضرر الخفيف؟

من الممكن إصلاح الأضرار الخفيفة باستخدام مجموعة الإصلاح باذيتيك/ كوارتز، ويمكن إزالة الكشوط والحك باستخدام ورق سنفرة ناعم وماء وبلطف لإزالة الضرر عند التنظيف للسطح باستخدام أسيتون بقماش أبيض لإزالة البواقي وتنظيف السطح.

تستخدم منتجات التنظيف باستخدام:

عدة الإصلاح – BDS-BAGNOTEK-RPR-KIT

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع

<https://sanipexgroup.com/>



## أحواض الغسيل المعدنية

لضمان أداء منتج بانيديزاين و أفوازون و الحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

تشطيب أحواض الغسيل حي ويتطور بمرور الوقت، وسطح كل حوض محمي بطبقة شمعية تمنح الحوض لمعان طبيعي وبطئ في عملية الأكسدة.

أحواض الغسيل تمت صنعها بشكل فردي ويدوي، لذا يتوقع وجود بعض علامات التشطيب ونقط اللحام وبعض النقاط الصغيرة وبعض التشوهات وهي تضيف طابع الأصالة للمنتج.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال استخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر.

كما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه باستخدام الطريقة الموضحة أعلاه.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الاستخدام والكمية.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعه على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.



تأكد من استخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.

لا يوصى بخلط الأنواع المختلفة من مواد التنظيف.

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع

<https://sanipexgroup.com/>



## الأدوات الصحية الكروم والتشطيبات الخاصة



لضمان أداء منتجات با نيوديزاين و أفوازون و الحفاظ عليها لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

يمكن تنظيف المنتج بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

نظيف بشكل تدريجي و برفق.

لا يتطلب تنظيف المنتج استخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية لأنها قد تتلف وتشوه الطلاء الخارجي.

حيث يؤدي استخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو أسيتيك) إلى إتلاف التشطيب النهائي للمنتج.



في حال استخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسله جيداً بماء نظيف.

في حال تراكم طبقات الجير على المنتج لا تحاول حكها لأنها قد تضر بطلاء الحماية وتؤدي لضرر إضافي، إن وضع عصير الليمون (الغير مركز) أو الخل الأبيض الذي يتبع بالتنظيف العميق باستخدام مياه نظيفة يساعد ببطئٍ إزالتها.


بعد التنظيف، جفف المنتج باستخدام قطعة قماش ناعمة.

لمعلومات الكاملة حول الضمان يرجى زيارة الموقع

[/https://sanipexgroup.com](https://sanipexgroup.com)



## العناية والصيانة



لضمان أداء منتج بانيديزاين و أفوازون والحفاظ عليه لسنوات طويلة، يرجى إتباع التوصيات بحذر حيث لا يغطي هذا الضمان الأضرار الناتجة عن سوء الصيانة.

بالإمكان تنظيف معظم المنتجات بمياه دافئة وصابون باستخدام قطعة قماش ناعمة.

لا يتطلب تنظيف المنتج باستخدام أي مواد تنظيف كاشطة أو اسفنج ستانلس أو قطعة قماش بألياف دقيقة، ويجب تجنب عمليات التنظيف التفاعلية

حيث يؤدي إستخدام مواد التنظيف الكاشطة أو مواد التنظيف القوية التي تحتوي على الأمونيا والمبيضات والكحول والأصباغ والأحماض (هيدروكلوريك أو فورميك أو فوسفور أو كلورين أو اسيتيك) إلى إتلاف التشطيب النهائي للمنتج.

في حال إستخدام المنظف البخاخ قم بوضع مادة التنظيف على قطعة قماش ناعمة ولا تقم بالرش مباشرة على المنتج لأن المنظف قد يدخل من الفتحات والتجاويف ويسبب الضرر.

ما يمكن لبواقي منتجات النظافة الشخصية مثل الصابون السائل أو جل الحمام أو الشامبو أو صبغ الشعر أو العطور أو أحمر الشفاه أو كريم ما بعد الحلاقة أو ورنيش الأظافر أن تسبب الضرر للمنتج ويجب تنظيفه بإستخدام الطريقة الموضحة أعلاه.

في حال الحاجة لمنظف خاص قم بإتباع التعليمات الموفرة على عبوة منتج التنظيف، بما في ذلك طريقة الإستخدام والكمية.

قم دائماً بفحص منتج التنظيف على منطقة غير ظاهرة قبل وضعها على كامل سطح المنتج، ولا تترك مادة التنظيف على المنتج لفترة طويلة من الزمن، وبعد التنظيف قم بغسلها جيداً بماء نظيف.

تأكد من إستخدام مواد التنظيف الخاصة على المنطقة المحددة ولا تضعها على المواد الأخرى التي قد تتفاعل معها.

لا يوصى بخلط الأنواع المختلفة من مواد التنظيف .

بعد التنظيف يجب تجفيف المنتج بقطعة قماش ناعمة.

للعناية الخاصة الإضافية والمعلومات حول الصيانة يرجى الإطلاع على مواصفات المنتج الفردية عند تطبيقها.

للمعلومات الكاملة حول الضمان يرجى زيارة الموقع

<https://sanipexgroup.com/>

# بانيوديزاين أقوازون

## دليل التنظيف والصيانة



مجموعة سانيبكس

[WWW.SANIPEXGROUP.COM](http://WWW.SANIPEXGROUP.COM)